

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

RECEIVED
CENTRAL FAX CENTER
MAR 04 2008

AMENDMENTS TO THE CLAIMS:

Please amend claims 1-24, 26-36 and 38-48 as follows.

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) Apparatus for processing data comprising:

processing logic operable to perform data processing operations; and

an instruction decoder for decoding program instructions to control said processing logic to perform data processing operations specified by said program instructions, wherein said instruction decoder, in response to a compare and branch instruction, comprises a decoder for:

(i) performing a comparison between a first value stored in a first register and a second value stored in a second register;

(ii) for copying, in dependence upon a result of said comparison, a program counter value to a third register;

(iii) for determining a target branch address from a pre-programmed stored value and said program counter value; and

(iv) for branching to a sub-routine at said target branch address in dependence upon a result of said comparison.

2. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 1, wherein said instruction is an array bounds checking instruction and said sub-routine is an array bounds exception handling routine.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

3. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 1, wherein at least one of said first register and said second register are specified within said compare and branch instruction.

4. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 2, wherein said first value is a reference value specifying an array size and said second value is a test value determined from a decoded program instruction.

5. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 4, wherein said comparison determines whether said reference value is greater than or equal to said test value.

6. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 4, wherein said result of said comparison is determined from a carry flag value and zero flag value.

7. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 2, wherein said branching operation comprises copying a pointer to said array bounds exception handling routine into a register specifying a next program instruction.

8. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 1, wherein said data processing apparatus comprises a co-processor and said pre-programmed stored value is read from a register of said co-processor.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

9. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 1, wherein said compare and branch instruction is executed within a single processing cycle of said data processing apparatus when the branch is not taken.

10. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 1, wherein said instruction decoder is operable to decode translated platform-independent program instructions.

11. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 10, wherein said platform independent program instructions are one of :

Java bytecodes;

.net bytecodes;

MSIL bytecodes; and

CIL bytecodes.

12. (currently amended) ~~Apparatus~~ The apparatus as claimed in claim 1, wherein said data processing apparatus is operable in a user mode and a privileged mode and said data processing apparatus remains in said user mode during execution of said compare and branch instruction.

13. (currently amended) A method of processing data with an apparatus for processing data having processing logic operable to perform data processing operations and an instruction decoder operable to decode a compare and branch instruction to control said processing logic to perform data processing operations specified by said program instructions, said method comprising the steps of:

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

(i) performing a comparison between a first value stored in a first register and a second value stored in a second register;

(ii) copying a program counter value, in dependence upon said comparison, to a third register;

(iii) ~~to determine~~determining a target branch address from a pre-programmed stored value and said program counter value; and

(iv) ~~to branch~~branching to a sub-routine at said target branch address in dependence upon a result of said comparison.

14. (currently amended) ~~A~~The method as claimed in claim 13, wherein said instruction is an array bounds checking instruction and said sub-routine is an array bounds exception handling routine.

15. (currently amended) ~~A~~The method as claimed in claim 13, wherein at least one of said first register and said second register are specified within said compare and branch instruction.

16. (currently amended) ~~A~~The method as claimed in claim 14, wherein said first value is a reference value specifying an array size and said second value is a test value determined from a decoded program instruction.

17. (currently amended) ~~A~~The method as claimed in claim 16, wherein said comparison determines whether said reference value is greater than or equal to said test value.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

18. (currently amended) ~~A~~The method as claimed in claim 16, wherein said result of said comparison is determined from a carry flag value and a zero flag value.

19. (currently amended) ~~A~~The method as claimed in claim 14, wherein said branching operation comprises copying a pointer to said array bounds exception handling routine into a register specifying a next program instruction.

20. (currently amended) ~~A~~The method as claimed in claim 13, wherein said data processing apparatus comprises a co-processor and said pre-programmed stored value is read from a register of said co-processor.

21. (currently amended) ~~A~~The method as claimed in claim 13, wherein said compare and branch instruction is executed within a single processing cycle of said data processing apparatus when the branch is not taken.

22. (currently amended) ~~A~~The method as claimed in claim 13, wherein said instruction decoder is operable to decode translated platform-independent program instructions.

23. (currently amended) ~~A~~The method as claimed in claim 22, wherein said platform independent program instructions are one of:

Java bytecodes;

.net bytecodes;

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

MSIL bytecodes; and

CIL bytecodes.

24. (currently amended) ~~A~~The method as claimed in claim 13, wherein said data processing apparatus is operable in a user mode and a privileged mode and said data processing apparatus remains in said user mode during execution of said compare and branch instruction.

25. (previously presented) A computer program product comprising a computer-readable storage medium including a computer program operable to control an apparatus for processing data having processing logic operable to perform data processing operations and an instruction decoder operable to decode a compare and branch instruction to control said processing logic to perform data processing operations specified by said program instructions, said computer program comprising the steps of:

- (i) performing a comparison between a first value stored in a first register and a second value stored in a second register;
- (ii) copying a program counter value, in dependence upon said comparison, to a third register;
- (iii) determining a target branch address from a pre-programmed stored value; and
- (iv) branching to a sub-routine at said target branch address in dependence upon a result of said comparison.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

26. (currently amended) ~~A~~The computer program product as claimed in claim 25, wherein said instruction is an array bounds checking instruction and said sub-routine is an array bounds exception handling routine.

27. (currently amended) ~~A~~The computer program product as claimed in claim 25, wherein at least one of said first register and said second register are specified within said compare and branch instruction.

28. (currently amended) ~~A~~The computer program product as claimed in claim 26, wherein said first value is a reference value specifying an array size and said second value is a test value determined from a decoded program instruction.

29. (currently amended) ~~A~~The computer program product as claimed in claim 28, wherein said comparison determines whether said reference value is greater than or equal to said test value.

30. (currently amended) ~~A~~The computer program product as claimed in claim 28, wherein said result of said comparison is determined from a carry flag value and a zero flag value.

31. (currently amended) ~~A~~The computer program product as claimed in claim 26, wherein said branching operation comprises copying a pointer to said array bounds exception handling routine into a register specifying a next program instruction.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

32. (currently amended) ~~A~~The computer program product as claimed in claim 25, wherein said data processing apparatus comprises a co-processor and said pre-programmed stored value is read from a register of said co-processor.

33. (currently amended) ~~A~~The computer program product as claimed in claim 25, wherein said compare and branch instruction is executed within a single processing cycle of said data processing apparatus when the branch is not taken.

34. (currently amended) ~~A~~The computer program product as claimed in claim 25, wherein said instruction decoder is operable to decode translated platform-independent program instructions.

35. (currently amended) ~~A~~The computer program product as claimed in claim 34, wherein said platform independent program instructions are one of :

Java bytecodes;

.net bytecodes;

MSIL bytecodes; and

CIL bytecodes.

36. (currently amended) ~~A~~The computer program product as claimed in claim 25, wherein said data processing apparatus is operable in a user mode and a privileged mode and

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

said data processing apparatus remains in said user mode during execution of said compare and branch instruction.

37. (previously presented) A computer program product comprising a computer-readable storage medium including a computer program operable to translate non-native program instructions to form native program instructions directly decodable by an apparatus for processing data having processing logic operable to perform data processing operations and an instruction decoder operable to decode a compare and branch instruction to control said processing logic to perform data processing operations specified by said program instructions, said native program instructions comprising:

- (i) performing a comparison between a first value stored in a first register and a second value stored in a second register;
- (ii) copying a program counter value, in dependence upon said comparison, to a third register;
- (iii) determining a target branch address from a pre-programmed stored value; and
- (iv) branching to a sub-routine at said target branch address in dependence upon a result of said comparison.

38. (currently amended) AThe computer program product as claimed in claim 37, wherein said instruction is an array bounds checking instruction and said sub-routine is an array bounds exception handling routine.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

39. (currently amended) ~~A~~The computer program product as claimed in claim 37, wherein at least one of said first register and said second register are specified within said compare and branch instruction.

40. (currently amended) ~~A~~The computer program product as claimed in claim 38, wherein said first value is a reference value specifying an array size and said second value is a test value determined from a decoded program instruction.

41. (currently amended) ~~A~~The computer program product as claimed in claim 40, wherein said comparison determines whether said reference value is greater than or equal to said test value.

42. (currently amended) ~~A~~The computer program product as claimed in claim 40, wherein said result of said comparison is determined from a carry flag value and a zero flag value.

43. (currently amended) ~~A~~The computer program product as claimed in claim 38, wherein said branching operation comprises copying a pointer to said array bounds exception handling routine into a register specifying a next program instruction.

44. (currently amended) ~~A~~The computer program product as claimed in claim 37, wherein said data processing apparatus comprises a co-processor and said pre-programmed stored value is read from a register of said co-processor.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

45. (currently amended) ~~A~~The computer program product as claimed in claim 37, wherein said compare and branch instruction is executed within a single processing cycle of said data processing apparatus when the branch is not taken.

46. (currently amended) ~~A~~The computer program product as claimed in claim 37, wherein said instruction decoder is operable to decode translated platform-independent program instructions.

47. (currently amended) ~~A~~The computer program product as claimed in claim 46, wherein said platform independent program instructions are one of:

Java bytecodes;

.net bytecodes;

MSIL bytecodes; and

CIL bytecodes.

48. (currently amended) ~~A~~The computer program product as claimed in claim 37, wherein said data processing apparatus is operable in a user mode and a privileged mode and said data processing apparatus remains in said user mode during execution of said compare and branch instruction.

BUTCHER et al
Appl. No. 10/807,499
March 4, 2008

RECEIVED
CENTRAL FAX CENTER
MAR 04 2008

AMENDMENTS TO THE DRAWINGS

Please substitute the attached five (5) sheets of replacement drawings for the drawings originally filed.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.